




## **Cable-Hose-Cylinder Guide**

## 4 Post Cables

Model	Cable A	Cable B	Cable C	Cable D	Cylinder cable	Sheave	Lock Nut	Cable Kit
ProPark 7 (welded locks)	H4D-9000B (262.75")	H4D-9000D (102.75")	H4D-9000C (159")	H4D-9000A (318.84")		52006	B33-3/4-16	H4D-9000
ProPark 7 (adjustable locks)	PP7-2003 (264.44")	PP7-2001 (104.44")	PP7-2002 (160.83")	PP7-2004 (320.55")		DP8-2012	B33-3/4-16	N/A
ProPark 8S	PP7-2003 (264.44")	PP7-2001 (104.44")	PP7-2002 (160.83")	PP7-2004 (320.55")		DP8-2012	B33-3/4-16	N/A
ProPark 8+	DP8-3011 (285")	DP8-3009 (123.8")	DP8-3010 (184.2")	DP8-3012 (345.5")	DP8-3013	DP8-2012	B33-3/4-16	DP8-3030
ProPark 8+ Long	DP8-3002 (229.7")	DP8-3009 (123.8")	DP8-3010 (184.2")	DP8L-3003 (360")	DP8L-3004	DP8-2012	B33-3/4-16	N/A
ProPark 9	304.80"	124.69"	183.74"	364.06"		SH4D-2002	B33-3/4-16	N/A
ProPark 9+ (8" wider)	SH4D-8020-3 (306.5")	SH4D-8020-1 (126.4")	SH4D-8020-2 (185.5")	SH4D-8020-4 (365.8")		SH4D-2002	B33-3/4-16	
Pro 14	H4P-5002-3 (359.57")	H4P-5002-1 (155.87")	H4P-5002-2 (218.86")	H4P-5002-4 (422.56")		H4P- 1007(YOKE)/ H4P-3003 (RUNWAY	B33-22X2.5	N/A



## 4 Post Hoses

Model	Power unit Hose	Length	Runway Hose	Length
ProPark 7 (welded locks)	1WB-05	86.61"	H4D-Y001	59.06"
ProPark 7 (adjustable locks)	1WB-05	86.61"	1WB-04	59.06"
ProPark 8S	1WB-05	86.61"	1WB-04	59.06"
ProPark 8+	1WB-05	86.61"	1WB-15	27.56"
ProPark 9	1WB-05	86.61"	SH4D-8010	79.53"
Pro 14	1WB-05	86.61"	1WB-11	75.59"

## Rolling Jack Hoses

Model	Hose	Length
RJ35	1WB-15	27.55"
NRJ450	1WB-15	27.55"
RJ70	1WB-15	27.55"
RJ70G	RJ7000-9801-1	15"

## 2 Post Cables

Model	Equalizer Cable	Length	Latch Cable	Length	Upper Sheave	Lower Sheave
HR8000	30400-9104L-2	341.73"			52005	30400-1005B
OH8000	30400-9101M-2	404.33"			52007	30400-1005B
Pro 9D Pre 2007	30400-9101M-2	404.33"			52007	30400-1005B
Pro 9D	HPRO-9000	393.7"	HPRO-9001	287.4"	52006	52005
DL9	TP9-5001					
Pro 9F Pre 2005	30400-9104L-2	341.73"			52005	30400-1005B
Pro 9F 2005- May 2008	ETPF-8002	337.80"			52005	30400-1005B
Pro 9F May 2008-Present	GF-4000	341.73			52005	52005
Pro V10 Chain over Pre 7/2007	30500-9200	401.06"	30400-8000-4	299.21"	52007	52005
Pro V10 After 7/2007	<b>PV10-7000</b>	391.93"	PV10-8000	302.60"	52005	V12TP-1012
Pro V10 After 7/2008	<b>PV10-9200</b>					
Pro V10EH	30500-9200JG	436.54"	30500-8000-4JG	347.25"	52005	V12TP-1012
PRO10	NR10-4000	408.73"	FJ7600E	33.44"	N377	N377
Pro V12	V12TP-6001	449.61"	V12TP-9001	374.02"	52005	V12TP-1012
PRO12 Nov. 2011 and later	V12TP-6001	449.61"	V12TP-9001	374.02"	52005	V12TP-1012

## 2 Post Hoses

Model	Power Unit Hose	Length	OH Hose	Length	Floor Hose	Length	Offside	Length	Main side hose	Length
HR8000	30400-9030YZ	62.20"			1WB-03	112.99"			1WB-13JC	20"
OH8000	30400-9030YZ	62.20"	1WB-02	339.37"						
Pro 9D Pre 2007	30400-9030YZ	62.20"	<b>30400-9032YZ</b>	<b>339.37"</b>						
Pro 9D	1WB-22	62.20"	1WB-14	338.58"						
DL9	DL9-9801-1	9.06"	1WB-14	338.58"						
Pro 9F Pre 2007	30400-9030YZ	62.20"			30400-9031B	112.99"				
Pro 9F	1WB-04	59.06"			ETPF-8001	105.91"				
Pro V10 Chain over	1WB-10	64.96"	1WB-09	366.14"						
Pro V10	1WB-10	64.96"	1WB-09	366.14"						
Pro V10EH	1WB-10	64.96"	30500-9101JG	414.13"						
PRO10	992219						NR10-9801-1	21.45"	992220	50.5"
Pro V12	1WB-17	50"	<b>1WB-18</b>	<b>435.83"</b>						
PRO12	2WB-17	50"	2WB-18	435.83"						

\*1WB-01 IS INTERCHANGEABLE WITH 30400-9030YZ  
\*\*1WB-02 IS INTERCHANGEABLE WITH 30400-9032YZ  
\*\*\*1WB-03 IS INTERCHANGEABLE WITH 30400-9031B

## Cylinder Chart

Cylinder	Lift Model	Seal Kit	Port Size For No G	Port for G Style	Port for G2 Style	If replacing No G w/G style adapter required	If replacing G cylinder w/no G style adapter required	Notes
YG02-9100G	Pro-Park 7	YG02-9180	3/8-18NPT	9/16-18 "0"-Ring	/	N3137	N3136	
DP8-9100G	Pro-Park 8	DP8-9180	3/8-18NPT	9/16-18 "0"-Ring	/	N3137	N3136	
YG02-9100G	Pro-Park 8 S	YG02-9180	3/8-18NPT	9/16-18 "0"-Ring	/	N3137	N3136	
DP8-9100G	Pro-Park 8+	DP8-9180	3/8-18NPT	9/16-18 "0"-Ring	/	N3137	N3136	
YG36-9100G	Pro-Park 9+	YG36-9180	3/8-18NPT	9/16-18 "0"-Ring	/	N3137	N3136	
YG04-9100	TPO-10K Chain style	YG04-9180UK	3/8-18NPT	/	/	/	/	
YG31-9100	Pro-V10 Chain style	YG04-9180UK	3/8-18NPT	/	/			See below for substitution
YG11-9100G2	PV10	YG11-9180	3/8-18NPT	3/8-18NPT	9/16-18 "0"-Ring	N3137	N3136	See below for substitution
YG31-9100	Pro-V10EH Chain style	YG04-9180UK	3/8-18NPT	/	/	/	/	See below for substitution
YG11-9100G2	Pro-V10EH	YG11-9180	3/8-18NPT	3/8-18NPT	9/16-18 "0"-Ring	N3137	N3136	See below for substitution
	PR010 (After 992317/2/2011)	YG32-9180	/	/	/	/	/	
YG15-9100G	Pro-V12	YG15-9180	3/8-18NPT	9/16-18 "0"-Ring	/	N3137	N3136	
N346	PR012 (After 11/2011)	N342-12	9/16-18 "0"-Ring	/	/	/	/	

## Cylinder Chart

Cylinder	Lift Model	Seal Kit	Port Size For No G	Port for G Style	Port for G2 Style	If replacing No G w/G style adapter required	If replacing G cylinder w/no G style adapter required	Notes
YG18-9100G2	Pro-14F	YG18-9180	3/8-18NPT	3/8-18NPT	9/16-18 "0"-Ring	N3137	N3136	994432KIT Old style cylinder with adapter & cable plate
YG01-9100G	HR-8000	YG01-9180	3/8-18NPT	3/8-18NPT	/	/	/	
YG01-9100G	OH-8000	YG01-9180	3/8-18NPT	3/8-18NPT	/	/	/	
YG07-9100	Pro-9F (After 6/2/08)	YG07-9180	N/A	N/A	N/A	N/A	N/A	
YG01-9100G	Pro-9F	YG01-9180	3/8-18NPT	3/8-18NPT	/			
YG11-9100G2	Pro-9D	YG11-9180	3/8-18NPT	3/8-18NPT	9/16-18 "0"-Ring	N3137	N3136	See below for substitution
YG09-9100	Pro-Cycle	YG09-9180	R1/4-19	/	/	/	/	
YG20-9100	RJ-35	YG20-9180	3/8-18NPT	/	/	/	/	
YG60-9100	NRJ450	N/A	3/8-18NPT	/	/	/	/	
YG26-9100	RJ70 B4 8/8/05	N/A	3/8-18NPT	/	/	/	/	
YG28-9100	RJ-70	YG28-9180	3/8-18NPT	/	/	/	/	
SB700027Y	RJ70G	N/A		/	/	/	/	
YG03-9100	Pro-6MR	YG03-9180	3/8-18NPT	/	/	/	/	
YG07-9100	GL-9	YG07-9180	N/A	N/A	N/A	N/A	N/A	

**Pro-V10 w/chain requires YG31-9100-Ask customer if chain or push type cylinder.YG31-9100 is chain type cylinder no o-ring fitting**

**Pro-V10 built B4 2008 W/Push style cylinder=YG11-9100**

**Pro-V10 YG11-9100 Push style cylinder no o-ring fitting replace with YG11-9100G2 and fittings V12TP-9802-1, 14JB982-77, HPRO-9802-2, and N3137**

**Pro-V10 YG11-9100G2 Push style cylinder with o-ring fitting substitute YG11-9100 and fittings, V12TP-6007, 30400-9052YZ, and N3136**

**Pro-V10 built 2008= YG11-9100G2**

**Pro-9D built B4 2008=YG01-9100**

**Pro-9D YG11-9100 Push style cylinder no o-ring fitting replace with YG11-9100G2 and fittings HPRO-9801-1, HPRO-9802-1 and N3137**

**Pro-9D YG11-9100G2 Push style cylinder with o-ring fitting replace with YG11-9100 and fittings HPRO-Y001, 30400-9052YZ and N3136**

**Pro-9D built 2008=YG11-9100G2**

**N3136-9/16"-18SAE straight thread o-ring to male 3/8"NPTF Adapter**

**N3137 -3/8" NPTF female to 9/16"-18 SAE straight thread o-ring adapter**

## Notes